

<b>LS Unit Model</b>	<b>114-173-64</b>			
		<b>ECB, lbs.</b>	<b>ECB, lbs.</b>	<b>ECB, lbs.</b>
<b>Qty of Cwts</b>	<b>Cwt position * on crank arm</b>	<b>@64" stroke, at position</b>	<b>@55" stroke, at position</b>	<b>@45" stroke, at position</b>
<b>Counterweight No.:</b>	<b>7 weight: 1,650 lbs</b>			
cranks only		3,651	4,113	4,770
4	10	5,787	6,587	7,724
4	20	7,923	9,062	10,678
4	30	10,059	11,536	13,632
4	40	12,195	14,010	16,586
4	max 45.4	13,349	15,346	18,181
2	10	4,719	5,350	6,247
2	20	5,787	6,587	7,724
2	30	6,855	7,824	9,201
2	40	7,923	9,062	10,678
2	max 45.4	8,500	9,730	11,475
<b>Counterweight No.:</b>	<b>8 weight: 1,215 lbs</b>			
cranks only		3,651	4,113	4,770
4	10	5,224	5,935	6,945
4	20	6,797	7,757	9,120
4	30	8,370	9,579	11,295
4	40	9,943	11,401	13,471
4	max 48.9	11,343	13,022	15,407
2	10	4,438	5,024	5,857
2	20	5,224	5,935	6,945
2	30	6,011	6,846	8,032
2	40	6,797	7,757	9,120
2	max 48.9	7,497	8,568	10,088
<b>Counterweight No.:</b>	<b>9 weight: 850 lbs</b>			
cranks only		3,651	4,113	4,770
4	10	4,752	5,388	6,291
4	20	5,852	6,662	7,813
4	30	6,952	7,937	9,335
4	40	8,053	9,212	10,857
4	max 51.4	9,307	10,665	12,592
2	10	4,201	4,750	5,530
2	20	4,752	5,388	6,291
2	30	5,302	6,025	7,052
2	40	5,852	6,662	7,813
2	max 51.4	6,479	7,389	8,681